

In re application of: Lonnie O. Ingram, *et al.*


Application No.: 09/885,294

Group No.: 1651

Filed: June 19, 2001

**Listing of Claims:**

Claim 1. (Currently Amended) A method for increasing production of alcohol from a saccharide source by an alcoholicogenic cell comprising,  
contacting a saccharide source with an alcoholicogenic recombinant cell, and  
exposing said cell to at least one compound of formula I,



wherein;

R<sub>1</sub> is H, OH or COOR<sub>2</sub>;

R<sub>2</sub> is H or alkyl;

R<sub>3</sub> is H, NH<sub>2</sub>, alkyl or alkenyl;

R<sub>4</sub> is H, alkyl, alkenyl, or a side chain of a naturally occurring amino acid; and  
salts thereof;

wherein said exposing results in the increased production of alcohol by the alcoholicogenic recombinant cell as compared to an alcoholicogenic recombinant control cell that is cultured under the same conditions in the absence of the compound of formula I.

Claim 2 (Canceled)

Claim 3. (Previously Presented) The method of claim 1, wherein said compound of formula I is selected from the group consisting of lower aliphatic aldehydes, lower aliphatic  $\alpha$ -keto carboxylic acids, and salts of any of said acids.

Claim 4. (Original) The method of claim 1, wherein said alcohol is ethanol and said alcoholicogenic cell is an ethanogenic cell.

Claim 5 (Canceled)

In re application of: Lonnie O. Ingram, *et al.*

Application No.: 09/885,294

Group No.: 1651

Filed: June 19, 2001

Claim 6. (Previously Presented) The method of claim 4, wherein said cell is selected from the family Enterobacteriaceae.

Claim 7. (Original) The method of claim 6, wherein said cell is *Escherichia* or *Klebsiella*.

Claim 8. (Cancelled)

Claim 9. (Previously Presented) The method of claim 8, wherein said cell is selected from the group consisting of *E. coli* KO4 (ATCC 55123), *E. coli* KO11 (ATCC 55124), *E. coli* KO12 (ATCC 55125), *K. oxytoca* M5A1 (ATCC 68564), *K. oxytoca* P2 (ATCC 55307), and *E. coli* LY01 (ATCC 11303).

Claim 10. (Previously Presented) The method of claim 4, wherein said compound of formula I is selected from the group consisting of acetaldehyde and  $\alpha$ -ketoglutarate.

Claim 11. (Original) The method of claim 10, wherein said compound of formula I is acetaldehyde.

Claims 12-17 (Cancelled)

Claim 18. (Previously Presented) The method of claim 10, wherein said cell is exposed to glutamate and acetaldehyde.

Claim 19. (Previously Presented) The method of claim 10, wherein said cell is exposed to pyruvate and acetaldehyde.

Claim 20. (Cancelled)

Claim 21. (Previously Presented) The method of claim 10, wherein said cell is exposed to  $\alpha$ -ketoglutarate and succinate.

In re application of: Lonnie O. Ingram, *et al.*  
Application No.: 09/885,294  
Group No.: 1651  
Filed: June 19, 2001

Claim 22. (Previously Presented) The method of claim 1, further comprising providing said cell in an aqueous solution.

Claim 23. (Previously Presented) The method of claim 1, wherein said saccharide source is selected from the group consisting of cellooligosaccharide, lignocellulose, hemicellulose, cellulose, pectin, xylose, glucose, and any combination thereof.

Claim 24. (Previously Presented) The method of claim 1, wherein said cell is exposed to said compound of formula I for a period of time between about 1 and about 96 hours.

Claim 25. (Previously Presented) The method of claim 1, wherein said method is performed at a pH between about 6 and about 8.

Claim 26. (Original) The method of claim 25, wherein said method is performed at a pH of about 6.5.

Claim 27. (Previously Presented) The method of claim 1, wherein said method is performed at a temperature between about 20° and about 40° C.

Claim 28. (Original) The method of claim 27, wherein said method is performed at a temperature of about 35° C.

Claim 29. (Previously Presented) The method of claim 1, wherein said compound is present at a concentration between about 0.1 and about 4.0 g/L.

Claim 30. (Previously Presented) The method of claim 1, further comprising exposing said cell to said compound more than once.

Claim 31. (Previously Presented) The method of claim 1, further comprising exposing said cell to two or more different compounds of formula I.

In re application of: Lonnie O. Ingram, *et al.*

Application No.: 09/885,294

Group No.: 1651

Filed: June 19, 2001

Claim 32. (Original) The method of claim 31, wherein said exposing of said cell to said compound is performed at time intervals between about 1 hour and about 24 hours.

Claim 33. (Previously Presented) The method of claim 1, further comprising agitating said cell, said saccharide source, and said compound between about 50 rpm and about 200 rpm.

Claim 34 - 35 (Canceled).

Claim 36. (Original) The method of claim 4, wherein said increased production of ethanol is indicated by an increase in volumetric productivity.

Claim 37 (Original) The method of claim 36, wherein said volumetric productivity is between about 0.3 g/L and 0.5 g/L.

Claim 38. (Previously Presented) The method of claim 1, wherein said method is performed in a fermentor vessel.

Claim 39. (Original) The method of claim 38, wherein said cell and said saccharide source are provided in an aqueous solution.

Claim 40. (Original) The method of claim 39, wherein said aqueous solution comprises a fermentation medium.

Claim 41. (Original) The method of claim 40, wherein said fermentation medium comprises Luria broth or CSL broth.

Claim 42. (Previously Presented) The method of claim 1, wherein said method is suitable for simultaneous saccharification and fermentation.

Claims 43-55 (Canceled)